



# **CS 247 – Scientific Visualization**

## **Lecture 6: Data Representation, Pt. 3**

Markus Hadwiger, KAUST

# Reading Assignment #3 (until Feb 16)



## Read (required):

- Data Visualization book, finish Chapter 3 (read starting with 3.6)
- Data Visualization book, Chapter 5 until 5.3 (inclusive)

# Sampled Functions and Data Structures

# Data Structures

- Requirements:
  - Efficiency of accessing data
  - Space efficiency
  - Lossless vs. lossy
  - Portability
    - Binary – less portable, more space/time efficient
    - Text – human readable, portable, less space/time efficient
- Definition
  - If points are arbitrarily distributed and no connectivity exists between them, the data is called scattered
  - Otherwise, the data is composed of cells bounded by grid lines
  - Topology specifies the structure (connectivity) of the data
  - Geometry specifies the position of the data

# Data Structures

- Some definitions concerning topology and geometry
  - In topology, qualitative questions about geometrical structures are the main concern
    - Does it have any holes in it?
    - Is it all connected together?
    - Can it be separated into parts?
- Underground map does not tell you how far one station is from the other, but rather how the lines are connected (topological map)



# Grids – General Questions




## Important questions:


- Which data organization is optimal?
- Where do the data come from?
- Is there a neighborhood relationship?
- How is the neighborhood info stored?
- How is navigation within the data possible?
- What calculations with the data are possible ?
- Are the data structured (regular/irregular topology)?

# Data Structures


- Grid types
  - Grids differ substantially in the cells (basic building blocks) they are constructed from and in the way the topological information is given




scattered




uniform



rectilinear




structured



unstructured

# Data Structures

- Topology
  - Properties of geometric shapes that remain unchanged even when under distortion




Same geometry (vertex positions), different topology (connectivity)



# Data Structures


- Topologically equivalent
  - Things that can be transformed into each other by stretching and squeezing, without tearing or sticking together bits which were previously separated




topologically equivalent

# Data Structures

- Structured and unstructured grids can be distinguished by the way the elements or cells meet
- Structured grids
  - Have a regular topology and regular / irregular geometry
- Unstructured grids
  - Have irregular topology and geometry




structured





unstructured

# Data Structures

- An  $n$ -simplex
  - The convex hull of  $n + 1$  affinely independent points
  - Lives in  $\mathbb{R}^m$ , with  $n \leq m$
  - 0: points, 1: lines, 2: triangles, 3: tetrahedra
- Partitions via simplices are called triangulations
- Simplicial complex  $C$  is a collection of simplices with:
  - Every face of an element of  $C$  is also in  $C$
  - The intersection of two elements of  $C$  is empty or it is a face of both elements
- Simplicial complex is a space with a triangulation



Simplicial complexes




Not a simplicial complex

# Data Structures

- Simplicial complexes can be of mixed dimensions up to  $\leq n$  (except if “pure” complexes)


- Example:  
Simplicial  
3-complex




[Wikipedia.org]

# Data Structures


- 2-manifold meshes: neighborhood is 2-dimensional topological disc (or half disc for manifolds with boundary)



(a)




(b)




(c)

# Data Structures

- Non-manifold meshes




(d)



(e)

# Grid Types - Overview



# Thank you.

## Thanks for material

- Helwig Hauser
- Eduard Gröller
- Daniel Weiskopf
- Torsten Möller
- Ronny Peikert
- Philipp Muigg
- Christof Rezk-Salama